
# **Definition chart**



5a - Push button	A D		View example
	astic flush Flush symbol Raised symbol		
or	Metal Flush symbol Raised symbol	A B Flush actuator Raised actuator	A B With lit hole Without lit hole
Color :	A B Green Yellow Black	A B Red Grey light White	View example  Dark blue  Orange  Decorative chrome (only for metal version)
Symbol :	A B <>	A B ><	A B Other symbol
		□ □ WC	No symbol
		Only for plastic version	(*) Raised symbol with «STOP» in braille
5b - Indicator  Symbol: smoke effect	A B OUT OF ORDER	A B wc	A B Other symbol
	HORS		No symbol
6 - Cable position (View from A) Standard lenght = 170 mm	Left A	X Right	A
Cable length :	For specific cable cover ple	ease contact us.	View example
<b>6b - Connector</b> Type of connector:	For connector pin out pleas	se contact us	
	To Commenter pint out piede	o contact do.	
<b>7 - Bezel</b> Material :	A B Plastic	A B Metal	View example
Color:	Green Red Dark blue	e Light blue Yellow Light grey I	Decorative chrome Dark grey Orange (metal version only)
	B:		
Other versions on request			

Actuator

#### Some example:



Metal flush actuator with raised symbol



Metal flush actuator for flush symbol with lit hole



Metal raised actuator for flush symbol, with lit hole



Metal raised actuator with raised symbol



Metal raised actuator with raised symbol and lit hole



Plastic flush symbol



Plastic raised symbol



Plastic braille symbol

Actuator diameter : 40mm Raised actuator : 30mm high Raised symbol : 1mm high

### Color


Return

The colors are only for indication because the rendering depending on the material (metal or plastic)



### Cable cover

Return



## Bezel - Dimensions (mm)

Return



Metal round shape with braille

